

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

June 5, 2008

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: United States Patent for *System, Method And Computer Program
Product For Demodulating Quadrature Amplitude Modulated
Signals Based Upon A Speed Of A Receiver*
Application No. 10/608,345; Filed June 27, 2003
Patent No. 7,359,445; Issued April 15, 2008
Our File 042933/264820

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Andrew T. Spence
Registration No. 45,699

ATS:mf
Enclosure

LEGAL02/30834274v1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,359,445 B2

Page 1 of 1

APPLICATION NO. : 10/608,345

ISSUE DATE : April 15, 2008

INVENTOR(S) : Kenney et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5.

Line 42, "(AID)" should read --(A/D)--.

Column 8.

Line 2, "repre" should read --represents the number--.

Column 17.

Line 3, "summming" should read --summing--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000